

American Embassy Models

NPIC recently completed models of the American Embassy They are part of NPIC's response to a requirement from the U.S. Army's Joint Special Operations Command (JSOC) at Fort Bragg, North Carolina. **2**5X1

These three-dimensional models are used to plan security protection of U.S. property, and to plan rescue operations in the event of an embassy takeover.

> 25X1 25X1

		25X1

DDS&T Travel

this past weekdiscussions included "artificial intelligence" applications, large (256K) random access memories planned for 1985, Japanese competition, Very High Speed Integrated Circuits (VHSIC)	25X1
by the DDS&T. One, the softcopy image data exploitation system,	25X1 25X1
	<u>25</u> X1
designator.) This interactive capability will be a significant advance in the image exploitation tools	25X1
	25 X 1
	25X1

App	roved For Release	e z	83M00914R002900010044-6	
, •				25X1
				25X1
Soviet Capal	bilities	<u> </u>		
	_			
report from	iewing the volu the American C / seen this by	Consulate in Leni	affic that cross our screen, o ingrad caught our eye. You ma	one ay
report from	the American C	Consulate in Leni	affic that cross our screen, o ingrad caught our eye. You ma	25X1
report from	the American C	Consulate in Leni	affic that cross our screen, (ingrad caught our eye. You ma	ay
report from	the American C	Consulate in Leni	affic that cross our screen, (ingrad caught our eye. You ma	ay
report from	the American C	Consulate in Leni	affic that cross our screen, (ingrad caught our eye. You ma	ay
report from	the American C	Consulate in Leni	affic that cross our screen, (ingrad caught our eye. You ma	ay
report from	the American C	Consulate in Leni	affic that cross our screen, (ingrad caught our eye. You ma	ay

25X1

25X1